


# Aqua-Vu®



## Underwater Viewing System Owners Manual





# Table of Contents

Become an Underwater Explorer .....	3
In The Package .....	4
About Your Aqua-Vu System .....	5
Product Safety .....	5
Using the XD Adjustable Quick Attachment Fin System™ .....	6
Powering Your Aqua-Vu System.....	7
Charging the Battery .....	7
Battery Care .....	7
Low vs Fully Charged.....	7
Over Charging .....	8
Under Charging.....	8
Fuse Protection.....	8
Replacing the Battery .....	8
Using the Aqua-Vu Controls .....	9
Viewing Images on the Monitor .....	10
Viewing Tips – On the Water.....	10
Viewing Tips – On the Ice .....	10
Storing Your Underwater Viewing System .....	11
Storing the Camera Cable.....	11
Protecting the Monitor.....	11
Frequently Asked Questions .....	12
Troubleshooting.....	13
Accessories .....	14
12-volt 9-amp Battery .....	14
Universal Battery Charger .....	14
Ice Pod.....	14
Mo-Pod 3.....	14
Service/Warranty Information.....	15
Additional Warranty Notes .....	16

# Become an Underwater Explorer

Congratulations! Your new Aqua-Vu Underwater Viewing System allows you to become an aquatic explorer without getting wet! From a boat or pier, watch the underwater world on your Aqua-Vu's monitor as you swim the fish camera over the bottom landscape. Or, with camera lowered through a hole in the ice, see how approaching fish react to your bait!


However you employ your Aqua-Vu — as a serious fishing tool on open-water or on ice; for observing and learning about nature; for watching small children or pets; or for security purposes — you will experience a fascinating new real-life view!



*Color Camera with 100' of Cable Featuring All NEW XD Camera Housing™ with Adjustable Quick Attachment Fin System*

## In The Package

The following items come with your Underwater Viewing System.



XD Quick Attach Compatible  
Adjustable Camera Positioning Fin



Rechargeable  
12-volt, battery



Battery Charger



12-volt Power Cord with  
Cigarette-Adapter

## About Your Aqua-Vu System

Aqua-Vu Underwater Viewing Systems are created to bring you success whether on the water or out on the ice. With an ALL NEW XD Camera Housing™ and state of the art optics, your Aqua-Vu is designed to be a tool that you turn to again and again. On behalf of Aqua-Vu, Thanks for choosing our cameras!

## Product Safety

Always keep camera cable away from ice augers, propellers, etc.

Keep the monitor and camera away from portable heaters, radiators or other heat generating equipment.

Avoid wedging the camera in rocks, roots, submerged trees, or underwater debris.

Do not store unit in damp places.

Do not attempt to disassemble the waterproof casing of the camera or monitor. This voids the warranty.

### Model Features:

- IP67 Waterproof 7-inch full color high resolution LCD with RCA video out
- Color Camera with 100' of Cable Featuring All NEW XD Camera Housing™ with Adjustable Quick Attachment Fin System for use with Live Strike™ Lure Monitoring and other accessories (sold separately)
- Smart Power Management System Includes 12v 9ah battery & charger, battery status,
- Custom Storage Bag System – Fits 5-Gallon Bucket
- Anti-Spook IR Lighting

## Using the XD Adjustable Quick Attachment Fin System™

Aqua-Vu's Patent Pending XD Quick Attachment System™ allows you to quickly and easily change your camera's accessories.


### Attaching Accessories to the XD Adjustable Quick Attachment System:




XD Camera Housing with Quick Attach Rails

### Cable Routing: The following cable routing methods will allow multiple viewing options:

- #1 90° Vertical Camera Orientation/Up Viewing
- #2 45° Up Viewing
- #3 Horizontal Viewing
- #4 45° Down Viewing



XD Adjustable Camera Positioning Fin



To Attach XD Positioning Fin, Simply Slide & Secure onto Top Rail.

## Powering the Aqua-Vu

This Aqua-Vu comes with a rechargeable 12-volt, sealed and spill-proof battery designed to fit securely in the monitor base. There is no need to add water or electrolyte.

## Charging the Battery

To charge the battery use the battery charger that came with your Aqua-Vu. Recharge the battery by plugging the barrel connector, on the end of the charger, into the battery charging port on the front of the monitor. Plug the charging unit into a 120 VAC power source.

**Note:** The battery charger has an LED charge status indicator. With the charger powered and attached to the auxiliary power/charging port, you will see either a red or green LED.

Red indicates a drained battery, or a drained battery that is being charged.

Green indicates that the battery is fully charged and ready to use; disconnect the battery from the charger.

**Note:** Whenever replacing the battery be sure to reconnect the battery properly: RED (+) lead to RED (+) terminal, and BLACK (-) lead to BLACK (-) terminal.

**Note:** Charge battery for 8 to 12-hours before first use of the Aqua-Vu. Watch the battery charger for charge indication LED (red = low battery power, green = 80 to 100% battery power).

A fully charged battery can operate the Aqua-Vu continuously for up to 6 hours. For longer viewing time the unit may be powered by a larger external 12-volt battery using one of the following:

- Power cord with cigarette adapter (included)
- Power cord with alligator clips (purchased separately, see accessories)

## Battery Care

Follow these simple rules for prolonged battery life and efficient use of your Aqua-Vu Underwater Viewing System:

Fully charge the battery as soon as possible after purchase.

Recharging is recommended after every use. When not in use, recharge every six months.

Store battery between 30 and 70 degrees F. Service life is shortened by temperatures above 80°F and below 0°F.

Fasten battery securely in its compartment and minimize shock to the battery.

Charge battery according to proper procedures. Continuous overcharging or undercharging is detrimental.

### Low vs Fully Charged

The battery charger (included) will charge the battery from very low (10 volts) to fully charged in about 24 hours. A voltmeter helps determine charge in the battery. Immediately after charging, a voltmeter might read 14 volts or more. Peak performance often occurs at 13 to 13.5volts. Without a voltmeter, a general rule is to charge the battery for a minimum of 12 hours but no more than 24 hours.



## Over Charging

The charger provided with this Aqua-Vu will not overcharge the battery in most cases. Do not charge for more than 24 hours. If you do not use our recommended charger avoid using a charging system with more than a 2-amp output. At too-high charging rates, a battery progressively heats up and may be ruined in a few hours.

## Under Charging

Batteries stored too long in discharged conditions accept current at far-below-normal rates during charging. A battery may accept an increasing amount of current until a normal level is reached. However, some discharged batteries never recover. And discharged batteries that freeze may be permanently damaged.

## Fuse Protection


The Aqua-Vu Camera system has a built in PPTC “Self Healing” fuse. The fuse will trip if the battery is improperly connected. Once the the problem is corrected the fuse will reset. The fuse is not user serviceable.

## Replacing the Battery

To replace the battery:

1. Remove the screws that hold the battery cover in place.
2. Remove the cover and pull the power leads off the two battery terminals.
3. Turn the two battery tabs 90 degrees so they are no longer over the battery.
4. Remove the battery. This may require that you tilt the base until the battery slides out.
5. Insert a new battery.
6. Turn the battery tabs over the battery. This holds the battery in place.
7. Connect the power leads to the two battery terminals, (red to positive, black to negative).
8. Replace the battery cover and secure in place with screws.

Remove screw from  
battery cover



Turn tabs off battery





## Using the Aqua-Vu Controls

The Aqua-Vu has the following controls located below the monitor and on the base.



Camera  
Light

+/- to adjust  
brightness

**On/Off** — The ON/OFF Power button turns the monitor and camera On or Off. After tuning on the Aqua-Vu, the screen may take several seconds to appear. When On, you will see the IR, above the button, illuminate. Press and hold the power button until the IR turns on/off.


**Video Out** — With the convenient Video-Out located on the front of the monitor, you can easily connect your Aqua-Vu to any TV/LCD/SONAR that is equipped with a yellow Video-Input. (Cable Sold Separately)

**Power** — This jack allows you to plug in the 12-volt power cord with cigarette adapter (included). Using this power cord provides a trickle charge to the battery and will power the unit. The unit must have a functioning battery to operate. If the battery is completely discharged, it will take a few minutes to re-charge the battery enough to power on the unit.

**Monitor** — buttons will be backlit if ambient light is low. Auto on/off in approximately 4 seconds.



# 760ci



## Viewing Images on the Monitor

If images are difficult to see on the monitor you can adjust your viewing angle or the angle of the protective sunshield. Loosen knobs and adjust the monitor angle.

## Viewing Tips – On the Water

With the Aqua-Vu system assembled, connected and charged, begin viewing simply by turning the unit on. You will see a live picture of whatever the camera “sees”

at a given moment.

Begin serious underwater viewing by lowering the camera toward the bottom. The bottom provides a point of reference that helps you perceive sizes of fish and objects below. Your viewing might be vertical — studying the bottom and fish straight below, as from a pier or an anchored boat. Or you might desire a broader view of an area’s bottom features and fish distribution. When viewing larger areas, anglers slowly move along in a boat, eyes glued to the monitor’s ever-changing picture of what the camera sees underwater.

In most waters, fish relate to bottom structure. So, while drifting or slow-trolling, you’ll need to guide the camera over the ups and downs of bottom contours. You will quickly learn how to “swim” the camera over bottom terrain. With cable in hand, simply raise or lower the camera, paying out more or less cable, depending on depth and boat speed. As you move along, you should see on your monitor screen a continuous picture of the passing bottom and the fish-holding watery zone just above it.

When viewing over soft bottom, make sure the camera is actually above the bottom and not plowing or “stirring up” the muck. If the camera is digging into bottom, you’ll only see a dark screen. Remember, if you can’t see bottom, raise or lower the camera to “look” for it. If your camera becomes snagged, maneuver the boat so the direction of pull is the reverse of what it was when the camera became snagged. A little jiggling or light tugging will usually enable you to back the camera out of a snag. Avoid pulling the camera through heavy weed cover or thick brush.

With your Aqua-Vu, you will be fascinated and often surprised by the ever-changing view of underwater scenery: rocks, weeds, other bottom features — and fish! (For more advice and viewing tips see “**Frequently Asked Questions.**”)

## Viewing Tips – On the Ice

Your Aqua-Vu is a valuable ice fishing tool — a giant leap beyond mysterious flashes and unidentified “fish” on a depth finder. Aqua-Vu enables you to actually “see” the real picture! Note these huge advantages:

**View bottom structure and distinguishing features.** Observe and trace transitions from one bottom type to another. That’s a big help in precisely locating your fishing holes and placing your ice fishing house!

**Sharpen your fishing techniques** — watch your bait and see how approaching fish react to it. Learn what baits, lures, colors, and jigging actions attract fish and trigger strikes.



Rotate the circular knobs to adjust the angle of the monitor

**Identify fish species and size.** Viewing actual fish with an Aqua-Vu camera solves mysteries about what depth finder signals really show.

When testing a new fishing location, you may bore two holes a few feet apart — one for your fishing line, the other for lowering your Aqua-Vu camera. You can also rig the camera in a down-viewing position for fishing and viewing in the same hole. Test-fish for a few minutes in different places. It's possible to choose or eliminate potential fishing spots on the basis of “seeing” or not seeing fish while moving around and prospecting.

Aqua-Vu's ICE-POD is an adjustable tripod that sets over the camera hole, holds camera cable, and is a handy accessory for easy adjustment of camera direction. Aqua-Vu's MO-POD 3 is a remote-controlled and motorized unit for convenient “no hands” rotation of the camera. (Available from retailers or online at [www.aquavu.com](http://www.aquavu.com).)

## **Storing the Aqua-Vu Underwater Viewing System**

### **Storing the Camera Cable**

To store the camera's 100 foot cable wrap it around the shuttle base.

### **Protecting the Monitor**

To protect the monitor screen, when transporting and storing, fold down the protective shield.



## Frequently Asked Questions

Question	Answer
How far can I see?	Naturally, the clearer the water, the farther you can see. As a general rule, in water the camera can see twice as far as the human eye — meaning that if you can see 3 feet down you will be able to see approximately 6 feet in front of the camera. But this is just a rule of thumb. Water bodies vary in water clarity and other characteristics. For anglers studying bottom structure, 2 feet of visibility is sufficient for underwater viewing, though in very clear water, it is possible to see up to 30 feet or more.
When do I use the lights?	The Aqua-Vu lights in your Aqua-Vu camera are designed for use in low-light conditions. Turn the lights on for enhanced visibility in low light conditions.
Can I splice the camera cable to obtain more length?	No. Attempting to splice in additional cable violates the waterproof integrity of the camera and cable. This will void your warranty.
How fast can I troll with my camera?	It depends on depth, and also on the length of cable you have out, which determines water resistance or “drag.” The deeper you go, with more cable out, the more drag there will be. That requires slower travel for good viewing. Generally, for optimal viewing, we recommend going less than 2 miles per hour. Remember, the slower you go, the more detail you will see. Also, the faster the bottom depth changes, the more rapidly you will need to manipulate the Aqua-Vu cable.
Can I use my Aqua-Vu in saltwater?	Yes. All Aqua-Vu cameras are saltwater-rated, constructed with stainless steel hardware and materials that are resistant to corrosion. We <b>STRONGLY</b> recommend rinsing salt water off camera using clean water and a soft cloth after every use.
Will my unit work in subfreezing conditions?	Aqua-Vu systems are designed to operate at temperatures ranging from -10 to 120 degrees F. Expect your battery life to decrease in cold conditions.
Can I connect my Aqua-Vu to a larger television or other LCD?	With the convenient Video-Out located on the front of the monitor, you can easily connect your Aqua-Vu to any TV/LCD/SONAR that is equipped with a yellow Video-Input. (Cable Sold Separately)

Question	Answer
Is Aqua-Vu legal?	To our knowledge there are no restrictions that regulate the use of Aqua-Vu underwater viewing systems. Aqua-Vu is an approved pre-fishing tool in B.A.S.S. and for other tournament trails across the country.

## Troubleshooting

Problem	Cause	Solution
Nothing happens (Screen fails to light up) when the unit is turned on.	Battery not connected.	Properly connect the battery: red to red, black to black.
	Battery not charged	Attach battery charger and charge battery for 12 - 24 hours.
The screen lights up but I see no picture.	Camera cable might be damaged.	Check cable for damage. Consult the "How to Obtain Service" section in this manual.
I lowered the camera to the bottom but can't see anything.	The camera may be buried in muck!	Raise the camera off the bottom.
	The water might be very murky.	Turn the camera lights on for enhanced viewing in low-light conditions.
The camera seems to work above water but not below.	The camera is not orientated correctly.	Try lowering camera until it hovers just above bottom. You should now be able to make out the outline of the lake bottom. Without the solid reference point of the bottom, the monitor may appear to look blank.
	The water clarity is poor.	What you see on the screen is directly related to water clarity. If the water is dirty, visibility will be limited. Again, try to keep the camera running a foot or less above bottom.


Problem	Cause	Solution
There is a nick in the camera cable.	Cable may have gotten snagged on a sharp surface.	See the “How to Obtain Service” section of this manual for instructions on replacing the camera.
The image on the screen has a dark margin around it or is blurry.	You’re seeing on-screen symptoms of a weakening battery.	Charge the battery, install a charged power source or connect to an external battery.

**Accessories**

Visit your local dealer for a selection of Aqua-Vu Accessories. Additionally, all accessories can be ordered online at [www.aquavu.com](http://www.aquavu.com)

**12-volt 9A Battery**

Additional power source for your Aqua-Vu.



12-Volt Battery

**Battery Charger**

The Universal Battery Charger allows you to charge/power your Aqua-Vu System directly. The charger can also be used to charge an external battery using the supplied alligator clips.



Universal Battery Charger

**Ice Pod**

The Ice Pod is a camera positioning tripod for stabilizing and rotating the camera while ice fishing. The tripod allows you to manually rotate the camera.



Ice Pod

**Mo-Pod 3**

The Mo-Pod3 is a remote control motorized camera positioning tripod for stabilizing and rotating the camera while ice fishing. It can be controlled remotely using the included hand-held remote.



Mo-Pod 3

# How to Obtain Service

## One Year Limited Warranty

Outdoors Insight, Inc. warrants its products to be free from defects in materials and workmanship for a period one-year from the original date of purchase. Aqua-Vu will at its sole discretion repair or replace any components that fail in normal use. Failures caused by abuse, misuse, alteration, or self-repair are not covered under warranty. The warranty is valid for the original owner and is non-transferable.

## Customer Service

We want our products to provide you with a pleasant on-the-water/ice experience. That means maximum customer satisfaction. If you have a problem with your Aqua-Vu unit please contact Outdoors Insight, Inc. Customer Service at one of the following methods:

**Our Website:** [www.aquavu.com](http://www.aquavu.com)

**Chat:** During regular business hours (Central Time) our customer service staff is available to help you via live chat. Simply visit our home page and click on Chat.

**Support:** Click on support—contact us. Enter your name and information and we will get back to you within 2 business days.

**Phone:** Give us a call at 866-755-6303. Normal business hours are 8am to 4pm M-F Central

## Physical Address:

- Stop by during normal business hours 8am to 4pm M-F Central
- Our address is: 34076 County Road 3, Crosslake MN 56442

**To Service Your Aqua-Vu:** Contact us at one of the above methods. Our customer service team will issue you a Return/Repair Authorization Number. Please print a copy of the Return Authorization and include inside your shipping box. We also ask that you write the Return Number on the outside of the box as this will increase the speed at which your case is processed. The Address for Returns is:

**VIA USPS:**  
OUTDOORS INSIGHT, INC  
PO BOX 368  
CROSSLAKE, MN 56442

**VIA UPS/FEDEX:**  
OUTDOORS INSIGHT, INC  
34076 COUNTY ROAD 3  
CROSSLAKE, MN 56442

## **Additional Warranty/Service Notes**

- Outdoors Insight, Inc. retains the exclusive right to repair or replace the unit at its discretion.
- The customer is responsible for shipping costs associated with returning the unit to Outdoors Insight, Inc.
- Outdoors Insight, Inc. will pay for shipping the repaired unit back to the customer while it is still under one-year warranty.
- All out of warranty services will be charged a fee for service and shipping which must be paid in advance.
- It is the consumers' full responsibility to track their products sent out in the mail or other forms of delivery service.
- Outdoors Insight Inc. will not be liable for lost packages. Unless specified otherwise, do not include battery or other accessories when returning your Aqua-Vu unit.

Pour le texte en français du manuel de l'utilisateur, s.v.p., visitez le [www.aquavu.com/support](http://www.aquavu.com/support)